



Wiring system

Connection and branch boxes

40

raw material

U24X

colour

White

Grey

For the connections and branches of the installations

- System of boxes compatible with the product ranges Trunkings 73 and Mini-trunkings 78.
- Independent access to the terminals, without manipulating or intervening in the installation.
- Homogeneous colours and lines throughout the whole installation. Safety for cables and people.

Raw material



Connection and branch boxes

Compliant



Technical characteristics

Electrical

EN 50085-2-1*

Insulating material.

No earthing required.

Mechanical

EN 50085-2-1*

IK07.

IK08 (110x150).

Service temperature

+60°C

-5°C

EN 50085-2-1*

In front of fire

EN 50085-2-1*

Glow-wire test 960°C.

Non flame propagating.

* BS EN 50085-2-1 is the UK implementation of EN 50085-2-1.



Colour

White

RAL 9010

Grey

RAL 7035

Quality marks



Approvals



Φ3 от 22.07.08 N 123-Φ3
ГОСТ P 53313-2009

Conformity declaration



See updated technical
information of each
part number on
www.unex.net

40

U24X
White / Grey

Connection
and branch boxes



Industrial building: power supply





Hotel industry



Apartment building renovation

Better finishings of the installation

The rectilinear shapes of the Unex connection and branch boxes allow a better integration of the mounting.









The design of Unex connection and branch boxes allows their mounting at any point in the installation, including the corners.



Homogeneous colour along the whole installation.

Size (mm)

Part numbers

	<p>White RAL 9010 (Part no. 7xxxx-2)</p> <p>Grey RAL 7035 (Part no. 7xxxx-04)</p>		
	<p>Connection and branch box</p>	<p>70x70x27</p>	<p>78455-2</p>
	<p>Connection and branch box</p>	<p>85x85x45</p>	<p>71451-2</p>
	<p>Connection and branch box</p>	<p>110x110x45</p>	<p>78457-2</p>
	<p>Connection and branch box</p>	<p>110x110x45</p>	<p>78457-04</p>
	<p>Connection and branch box</p>	<p>110x150x74</p>	<p>73461-2</p>
	<p>Connection and branch box</p>	<p>110x150x74</p>	<p>73461-04</p>



