

Solutions in railway infrastructure



www.unex.net









Insulating solutions in railway infrastructure

Safety:

• Electrical:

Dielectric strength: protection against the risk of electrocution through indirect contact.

• In front of fire:

Reduces the risk of electrical arcs and fire sources.

Own formulation of our raw materials, providing outstanding features with regards to standard ones.

Reliability of the signal transmitted:

Avoids eddy currents and facilitates the control of the grounding system.

Cost reduction:

• Earthing not required:

No need for copper conductors.

No costs derived from connecting the conducting element to the grounding system or from periodical checking.

No induced or leakage currents, avoiding premature corrosion which usually affects metallic channelling.

Over 35 years experience in outdoor installations:

- Non-metallic material: resistance to corrosion caused by outdoor exposure or by saline, polluted or chemically aggressive environments.
- Sturdy design, high impact resistance.
- Good performance outdoors and suitable for UV exposure, due to our own formulated raw materials.

Mounting and integration

• Complete system of accessories and supporting elements in grey RAL 7035: Several mounting arrangements are possible.

Homogeneous colour of the trays, trunkings and fittings, perfectly fitting with other constructive elements.

• Can be painted.

Cable distribution along the railway tracks (bridges, viaducts, tunnels, etc.)









UL Certification for outdoor use of Cable trays 66 in U23X





Gantries and catenaries










Substations and technical rooms









Stations and shelters





Insulating solutions in railway infrastructure



The quality of Unex solutions is guaranteed by the strict accomplishment of product and application standards, as well as by obtaining quality marks and approvals.























Halogen free



Slotted trunking 88



Halogen free



Insulating cable tray 66





Halogen free









Cable ties 22







Colour: ☐ Grev RAL 7035 / ☐ Grev RAL 7038 / ☐ White RAL 9010 / ☐ Grev RAL 7030 / ☐ Blue RAL 5012 / ☐ Black



Configurator and Unexproject

Your online tools for configuration and dimensioning.

www.unex.net



Available through Data Portal

Complete stock and reliable delivery through our world-wide distribution network



PERSONALIZED TECHNICAL ASSISTANCE M technical.assistance@unex.net

CUSTOMER SERVICE Minternational@unex.net

Unex Kabelsvsteme und -elemente GmbH Am Wallgraben 100 70565 Stuttgart Phone: +49 711 78 19 35 30 e-mail: vertrieb@unex.net

Portugal

Retrica

Retrica Aparelhagem Eléctrica, Lda. Rua Soeiro Pereira Gomes, Lote 1, 4° C 1600-198 Lisbon Phone: +351 21 781 64 20 e-mail: unex@unex.pt

Unex sistemi ed elementi, S.R.L. Via Valbrona 4 20134 Milano Phone: +39 02 4953 9893 e-mail: commerciale@unex.net

Chile

Unex aparellaie eléctrico Chile Ltda. Centro Empresas "El Cortijo" Av. Américo Vespucio Norte 2680, Of. 27 C.P. 8551378 - Conchalí Santiago - Región Metropolitana Phone: +56 2 2623 49 81 e-mail: unex@unex.cl

Unex systèmes et éléments, S.A.S. Parc Technologique 3 place Berthe Morisot 69791 Saint Priest Cedex Phone: +33 4 78 43 69 55 e-mail: unex@unex.fr

Unex Solutions México S. de R.L. de C.V. Avda Santa Fe 170

Piso 6, Unidad 6-1-01 Col. Lomas de Santa Fe Delegación Álvaro Obregón 001219 Ciudad de México

Unex aparellaie eléctrico, S.L. Rafael Campalans, 15-21 08903 L'Hospitalet de Llobregat Phone: +34 93 333 87 00 e-mail: unex@unex.net

Unex aparellaje eléctrico, S.L., as a policy, patents its products.

Own design and production. Unex aparellaje eléctrico, S.L. does not manufacture for other trademarks. Unex is a registered trademark of Unex aparellaje eléctrico, S.L.

© Unex aparellaje eléctrico, S.L., 2021

Unex aparellaje eléctrico, S.L. reserves the right to modify any of the characteristics of the products that it manufactures.

It is the responsibility of the person in charge of product selection for a specific application to look for the right product, according to the standards applicable in every country. Unex aparellaje eléctrico S.L. disclaims all responsibility due to incorrect use of the product or to unforeseen circumstances.