









Verdrahtungskanäle
Werkstoff U23X · Blau









77








Nutzbare Querschnitte

Nutzbare Querschnitte (mm²)

Empfohlenes Fassungsvermögen

Abmessungen (mm)		18x20	25x20	33x30	42x20	42x30	42x43	42x60
Art.-Nr. RAL 7030 / RAL 5012		18.20.77	25.20.77	30.30.77	40.20.77	40.30.77 774030-06	40.40.77	40.60.77
		 234	 322	 728	 586	 940	 1460	 2112
Anzahl der Kabel V250 (Füllfaktor 1,5)*	0,5 mm ²	43	53	116	96	154	237	346
	0,75 mm ²	28	35	77	63	102	157	229
Anzahl der Kabel H05/07 V-K (Füllfaktor 1,5)*	1 mm ²	18	23	50	41	66	102	150
	1,5 mm ²	14	17	37	30	49	75	110
	2,5 mm ²	9	12	26	21	34	52	76

Abmessungen (mm)		60x20	60x30	60x43	60x60	60x80	60x100	60x120
Art.-Nr. RAL 7030 / RAL 5012		60.20.77	60.30.77	60.40.77 776040-06	60.60.77 776060-06	60.80.77	60.100.77	60.120.77
		 870	 1387	 2137	 3092	 4225	 5362	 6380
Anzahl der Kabel H05/07 V-K (Füllfaktor 1,5)*	1 mm ²	62	98	150	219	299	384	450
	1,5 mm ²	45	72	111	161	220	283	331
	2,5 mm ²	32	50	77	112	153	196	230
	4 mm ²	25	40	61	89	122	157	184
	6 mm ²	14	23	35	51	70	90	106

Abmessungen (mm)		80x30	80x43	80x60	80x80	80x100	80x120
Art.-Nr. RAL 7030 / RAL 5012		80.30.77 778030-06	80.40.77 778040-06	80.60.77 778060-06	80.80.77 778080-06	80.100.77 7780100-06	80.120.77 7780120-06
		 1865	 2874	 4128	 5630	 7177	 8572
Anzahl der Kabel H05/07 V-K (Füllfaktor 1,5)*	1 mm ²	132	203	291	399	504	606
	1,5 mm ²	97	149	215	293	371	446
	2,5 mm ²	68	104	149	204	258	309
	4 mm ²	54	83	118	162	206	247
	6 mm ²	31	47	68	92	118	142

Abmessungen (mm)








100x43

100x60

100x80

100x100

100x150

Art.-Nr.  RAL 7030 / RAL 5012		100.40.77 7710040-06	100.60.77 7710060-06	100.80.77 7710080-06	100.100.77 77100100-06	100.150.77
		 3585	 5179	 7110	 9000	 13450
Anzahl der Kabel H05/07 V-K (Füllfaktor 1,5)*	1 mm ²	253	366	502	633	994
	1,5 mm ²	186	271	369	465	732
	2,5 mm ²	129	188	257	324	508
	4 mm ²	103	149	204	258	402
	6 mm ²	59	85	117	148	201