Unex®

Keeping you safer

Trunkings
U23X · Colour white

73

Useful cross-sections

Useful cross-sections (mm²)

Sizes (mm)	30x40	30x60	40x40	40x60	40x90
Part no.	**73010-2**	**73061-2**	**73020-2**	**73071-2**	**73072-2**
Distribution					
Without divider	700	1050	1000	1575	2275
With divider		475 475		700 700	1075 1075
With divider and corner-piece				450 450	650 650
Adaptation of switches and sockets					
With border and plate, without box					725 725
With border, plate and box					
DIN 12 modules with plate 					

Useful space in Trunking 73 with switches and sockets

Switches and sockets with box



In trunkings height 40 mm



In trunkings height 60 mm

Switches and sockets without box



In trunkings height 40 mm



In trunkings height 60 mm.

	40x110	60x60	60x90	60x110	60x130	60x150	60x190	60x230
	73073-2	**73081-2**	**73082-2**	**73083-2**	**73084-2**	**73085-2**	**73086-2**	**73088-2**
	2725	2625	3900	4750	5675	6550	8275	10175
	650 550 550 650	1150 1150	1825 1825	1100 875 875 1100	1350 1125 1125 1350	1525 1350 1350 1525	1275 1125 1125 1125 1125 1275	1750 1350 1350 1350 1350 1750
	400 300 300 400	700 700	1325 1325	650 425 425 650	1050 875 875 1050	1075 900 900 1075	825 675 675 675 675 825	1300 900 900 900 900 1300
	 650 100 100 650		1475 1475	1100 500 500 1100	1350 775 775 1350	1525 1000 1000 1525		
	475 475			950 325 325 950	1300 450 450 1300	1525 600 600 1525		
					1125 350 350 1125	1500 400 400 1500		