



---

Moulures  
U23X · Couleur blanc

78




















---

Sections utiles











### Sections utiles (mm<sup>2</sup>)

Capacité recommandée pour conducteurs H07V-K




Dimensions (mm) 7x12 10x16 10x22 10x30 16x16 16x30 16x50 20x30 20x50 20x75

Cotes (mm)	7x12	10x16	10x22	10x30	16x16	16x30	16x50	20x30	20x50	20x75
										
Blanc	<b>78010-2</b>	<b>78021-2</b>	<b>78022-2</b>	<b>78023-2</b>	<b>78031-2</b>	<b>78033-2</b>		<b>78043-2</b>	<b>78045-2</b>	
Blanc Autoadhésive	<b>78010-2A</b>	<b>78021-2A</b>	<b>78022-2A</b>		<b>78031-2A</b>	<b>78033-2A</b>				
Gris					<b>78031-04</b>			<b>78043-04</b>		
										
Compartiments	C1	C1	C1	C1	C1	C1		C1	C1	
Nombre de conducteurs H07V-K recommandé	1,5 mm <sup>2</sup>	2	4	6	9	6	14	18	32	
	2,5 mm <sup>2</sup>	1	3	4	6	4	9	12	21	
	4 mm <sup>2</sup>	1	2	3	4	3	7	9	17	
	6 mm <sup>2</sup>		1	2	3	2	4	5	10	

Dimensions (mm) 7x12 10x16 10x22 10x30 16x16 16x30 16x50 20x30 20x50 20x75

Cotes (mm)	7x12	10x16	10x22	10x30	16x16	16x30	16x50	20x30	20x50	20x75
										
Blanc						<b>78083-2</b>	<b>78085-2</b>	<b>78093-2</b>	<b>78095-2</b>	
										
Compartiments						C1 C2	C1 C2	C1 C2	C1 C2	
Nombre de conducteurs H07V-K recommandé	1,5 mm <sup>2</sup>					6 6	11 11	8 8	14 14	
	2,5 mm <sup>2</sup>					4 4	7 7	5 5	9 9	
	4 mm <sup>2</sup>					3 3	6 6	4 4	7 7	
	6 mm <sup>2</sup>					2 2	3 3	2 2	4 4	

Dimensions (mm) 7x12 10x16 10x22 10x30 16x16 16x30 16x50 20x30 20x50 20x75

	Cotes (mm)												
	Blanc										<b>78147-2</b>		
Compartiments													
Nombre de conducteurs	1,5 mm <sup>2</sup>										C1	C2	C3
H07V-K recommandé	2,5 mm <sup>2</sup>										14	15	14
	4 mm <sup>2</sup>										9	10	9
	6 mm <sup>2</sup>										7	8	7
											4	4	4