


















Moulures en U23X
Couleur gris










78

Sections utiles




Sections utiles (mm²)

Capacité recommandée pour conducteurs H07V-K

		Dimensions (mm)									
		7x12	10x16	10x22	10x30	16x16	16x30	16x50	20x30	20x50	20x75
	Cotes (mm)	 12	 16	 22	 30	 16	 30		 30	 50	
	Blanc	78010-2	78021-2	78022-2	78023-2	78031-2	78033-2		78043-2	78045-2	
	Blanc Autoadhésive	78010-2A	78021-2A	78022-2A		78031-2A	78033-2A				
	Gris					78031-04			78043-04		
		 46	 100	 143	 205	 150	 323		 437	 764	
Compartiments		C1	C1	C1	C1	C1	C1		C1	C1	
Nombre de conducteurs H07V-K recommandé	1,5 mm ²	2	4	6	9	6	14		18	32	
	2,5 mm ²	1	3	4	6	4	9		12	21	
	4 mm ²	1	2	3	4	3	7		9	17	
	6 mm ²		1	2	3	2	4		5	10	

		Dimensions (mm)									
		7x12	10x16	10x22	10x30	16x16	16x30	16x50	20x30	20x50	20x75
	Cotes (mm)						 30	 50	 30	 50	
	Blanc						78083-2	78085-2	78093-2	78095-2	
							 136	 262	 184	 343	
Compartiments							C1 C2	C1 C2	C1 C2	C1 C2	
Nombre de conducteurs H07V-K recommandé	1,5 mm ²						6 6	11 11	8 8	14 14	
	2,5 mm ²						4 4	7 7	5 5	9 9	
	4 mm ²						3 3	6 6	4 4	7 7	
	6 mm ²						2 2	3 3	2 2	4 4	

Capacité recommandée pour conducteurs H07V-K

		7x12	10x16	10x22	10x30	16x16	16x30	16x50	20x30	20x50	20x75		
	Cotes (mm)												
	Blanc										78147-2		
Compartiments													
Nombre de conducteurs H07V-K recommandé	1,5 mm ²										C1	C2	C3
	2,5 mm ²										14	15	14
	4 mm ²										9	10	9
	6 mm ²										7	8	7
											4	4	4