



Moulures adhésives 78
U23X · Couleur blanc

78

Sections utiles




Sections utiles (mm²)

Capacité recommandée pour conducteurs H07V-K

		Dimensions (mm)										
		7x12	10x16	10x22	10x30	16x16	16x30	16x50	20x30	20x50	20x75	
	Cotes (mm)											
	Blanc	78010-2	78021-2	78022-2	78023-2	78031-2	78033-2		78043-2	78045-2		
	Blanc Autoadhésive	78010-2A	78021-2A	78022-2A		78031-2A	78033-2A					
	Gris					78031-04			78043-04			
	Compartiments	C1	C1	C1	C1	C1	C1		C1	C1		
	Nombre de conducteurs H07V-K recommandé	1,5 mm ²	2	4	6	9	6	14		18	32	
		2,5 mm ²	1	3	4	6	4	9		12	21	
		4 mm ²	1	2	3	4	3	7		9	17	
		6 mm ²		1	2	3	2	4		5	10	

		Dimensions (mm)										
		7x12	10x16	10x22	10x30	16x16	16x30	16x50	20x30	20x50	20x75	
	Cotes (mm)											
	Blanc						78083-2	78085-2	78093-2	78095-2		
	Compartiments						C1 C2	C1 C2	C1 C2	C1 C2		
	Nombre de conducteurs H07V-K recommandé	1,5 mm ²						6 6	11 11	8 8	14 14	
		2,5 mm ²						4 4	7 7	5 5	9 9	
		4 mm ²						3 3	6 6	4 4	7 7	
		6 mm ²						2 2	3 3	2 2	4 4	

Dimensions (mm) 7x12 10x16 10x22 10x30 16x16 16x30 16x50 20x30 20x50 20x75

	Cotes (mm)												
	Blanc										78147-2		
Compartiments													
Nombre de conducteurs H07V-K recommandé	1,5 mm ²										C1	C2	C3
	2,5 mm ²										14	15	14
	4 mm ²										9	10	9
	6 mm ²										7	8	7
											4	4	4