



---

Trunkings  
U23X · Colour white

73

---

Useful cross-sections

Useful cross-sections (mm<sup>2</sup>)

Part no.	White RAL 9010	Sizes (mm)			
		30x40	30x60	40x40	40x60
		<b>73010-2</b>	<b>73061-2</b>	<b>73020-2</b>	<b>73071-2</b>

Distribution


Without divider		670	980	1020	1530
With divider			450 450		705 705
With divider and corner-piece					425 425

Adaptation of switches and sockets


With border and plate, without box					
With border, plate and box					
DIN 12 modules with plate					

Useful space in Trunking 73 with switches and sockets

Switches and sockets with box




In trunkings height 40 mm.




In trunkings height 60 mm.


Switches and sockets without box



In trunkings height 40 mm.



In trunkings height 60 mm.



40x90

40x110

60x90

60x110

60x130

60x150

60x190

60x230

**73072-2**

**73073-2**

**73082-2**

**73083-2**

**73084-2**

**73085-2**

**73086-2**

**73088-2**



2315



2780




3930



4780



5700



6540



8205



9930



1100  
1100



700  
515  
515  
700



1840  
1840




1160  
855  
855  
1160



1395  
1085  
1085  
1395



1595  
1305  
1305  
1595



1345  
1070  
1070  
1070  
1070  
1345



1790  
1285  
1285  
1285  
1285  
1790



660  
660



420  
310  
310  
420




1415  
1415




900  
695  
695  
900




1080  
865  
865  
1080



1230  
1025  
1025  
1040



1040  
850  
850  
850  
850  
1040



1380  
1020  
1020  
1020  
1020  
1380



895  
895



700  
330  
330  
700




1610  
1610



1160  
680  
680  
1160



1395  
860  
860  
1395



1595  
1090  
1090  
1595



565  
565



1015  
345  
345  
1015




1355  
490  
490  
1355



1595  
615  
615  
1595



910  
910



1300  
1300