









Calhas de quadros
U23X · Cor cinzento









77








Secções úteis







Secções úteis (mm²)

Capacidades de cabos recomendadas

Dimensões (mm)		18x20	25x20	33x30	42x20	42x30	42x43	42x60
Ref.	Cor Cinza RAL 7030	18.20.77	25.20.77	30.30.77	40.20.77	40.30.77	40.40.77	40.60.77
		 234	 322	 728	 586	 940	 1460	 2112
Cabos V250 Quantidade de cabos (Coeficiente de enchimento 1,5) *	0,5 mm ²	43	53	116	96	154	237	346
	0,75 mm ²	28	35	77	63	102	157	229
Cabos H05/07 V-K Quantidade de cabos (Coeficiente de enchimento 1,5) *	1 mm ²	18	23	50	41	66	102	150
	1,5 mm ²	14	17	37	30	49	75	110
	2,5 mm ²	9	12	26	21	34	52	76

Dimensões (mm)		60x20	60x30	60x43	60x60	60x80	60x100	60x120
Ref.	Cor Cinza / Azul RAL 7030 / RAL 5012	60.20.77	60.30.77	60.40.77 776040-06	60.60.77 776060-06	60.80.77	60.100.77	60.120.77
		 870	 1387	 2137	 3092	 4225	 5362	 6380
Cabos H05/07 V-K Quantidade de cabos (Coeficiente de enchimento 1,5) *	1 mm ²	62	98	150	219	299	384	450
	1,5 mm ²	45	72	111	161	220	283	331
	2,5 mm ²	32	50	77	112	153	196	230
	4 mm ²	25	40	61	89	122	157	184
	6 mm ²	14	23	35	51	70	90	106

Dimensões (mm)		80x30	80x43	80x60	80x80	80x100	80x120
Ref.	Cor	80.30.77	80.40.77	80.60.77	80.80.77	80.100.77	80.120.77
	RAL 7030 / RAL 5012	778030-06	778040-06	778060-06	778080-06	7780100-06	7780120-06
		 1865	 2874	 4128	 5630	 7177	 8572
Cabos H05/07 V-K Quantidade de cabos (Coeficiente de enchimento 1,5) *	1 mm ²	132	203	291	399	504	606
	1,5 mm ²	97	149	215	293	371	446
	2,5 mm ²	68	104	149	204	258	309
	4 mm ²	54	83	118	162	206	247
	6 mm ²	31	47	68	92	118	142

Dimensões (mm)		100x43	100x60	100x80	100x100	100x150
Ref.	Cor	100.40.77	100.60.77	100.80.77	100.100.77	100.150.77
	RAL 7030					
		 3585	 5179	 7110	 9000	 13450
Cabos H05/07 V-K Quantidade de cabos (Coeficiente de enchimento 1,5) *	1 mm ²	253	366	502	633	994
	1,5 mm ²	186	271	369	465	732
	2,5 mm ²	129	188	257	324	508
	4 mm ²	103	149	204	258	402
	6 mm ²	59	85	117	148	201

* Nota: Para cálculos com cabos de outra secção ou várias secções simultâneas, a secção necessária será a soma dos resultados ao aplicar a fórmula seguinte a cada tipo de cabo: Secção necessária = Secção ocupada pelo cabo x nº cabos x 1,5.